

ANTIGRAVITY BATTERIES

THE ONLY BATTERY THAT WON'T LEAVE YOU STRANDED



The FIRST battery with BUILT-IN JUMP STARTING



FROM EVERYDAY RIDERS TO WORLDCLASS RACERS

2022 CATALOG



ANTIGRAVITY LITHIUM BATTERIES

Antigravity Batteries was established in 2010 as one of the first companies to develop powerful, compact and lightweight Lithium-Ion Batteries for Racing and Performance Vehicles. Taking that forward 12 years, Antigravity has established itself the leader in Lithium-Ion Technology for Motorsports by developing groundbreaking products such as our Starter Batteries with WIRELESS Built-In Jump-Starting, Deep Cycle Batteries with Bluetooth Monitoring, award-winning MICRO-START Lithium Jump-Starters, and new Power Stations for energy on the go. Antigravity Batteries are used in every aspect of Racing and have been used in more Championship Vehicles than any other Lithium brand. The name Antigravity Batteries comes from the fact that our batteries are up to 70% lighter than Lead/Acid batteries, while offering over TWICE the cranking power of Lead/Acid batteries!

Antigravity Batteries offers the highest quality, most innovative and diverse line of lithium battery products to meet the demands of all Motorsports enthusiasts, from Daily Drivers to World Class Racing and beyond. We have a battery product for all Motorsports applications, from our award-winning MICRO-START mini jump-starters, to our wide range of ultra lightweight Hi-Power Starter Batteries for Motorcycles, Powersports Vehicles and Cars. We also have a new ENERGY STORAGE line of Power Stations, Solar Panels, and Deep Cycle Batteries with built-in Bluetooth Monitoring!

Our Starter Batteries are available in 6-Volt, 12-Volt, and 16-Volt models. We offer multiple fitment options, from drop-in fit OEM sizes, to ultra compact "Small Case" models. We also have a complete line of Accessories offering chargers, adapters, hold-downs, harnesses, battery testers and more.

Our groundbreaking "RE-START" (RS) Series of Lithium Batteries for Motorcycles, Powersports Vehicles and Automobiles are the first starter batteries to offer BUILT-IN JUMP-STARTING, making dead-battery emergencies a thing of the past. All RE-START batteries feature a full Battery Management System (BMS) within the battery that protects against Over-Discharge and Over-Charge, while providing Thermal Protections and real-time Lithium Cell Balancing. These features make Antigravity Lithium Batteries the longest-lasting, most reliable batteries on the market!



Antigravity Batteries is used by the Top World Class Champions



"The Antigravity Batteries **RE-START** Battery has just changed the Starter Battery forever with its groundbreaking Features and Protections..."

The new RE-START Battery offers the world's first WIRELESS BUILT-IN JUMP-STARTING, which means you will never be stranded with a dead battery emergency again! For example, if you accidentally leave your lights on, the RE-START Battery intelligently monitors its voltage; if it is getting too drained it puts itself into "sleep-mode" with just enough reserve energy to start your vehicle. Simply press the button on the provided WIRELESS KEYFOB to awaken the battery, start your car and drive away! No need for a Jump-Starter or any assistance... no need to even access or touch the battery!

RE-START Automotive models have our proprietary WIRELESS BUILT-IN JUMP-STARTING, plus a complete Battery Management System (BMS) that protects the battery from Over-Discharge and Over-Charge as well as offering Thermal and Short-Circuit Protections. These protections create the longest life (8-10 years) and safest operation possible.

Our RE-START Batteries are available in most popular BCI Group Sizes and with a choice of Amp Hour Capacities such as 24Ah, 30Ah, 40Ah, 60Ah and 80Ah for different applications.

All these features combined with ultralight weight and high power Lithium-Ion Technology make for the best Automotive battery available today!

RE-START AUTOMOTIVE

HIGH PERFORMANCE AUTOMOTIVE BATTERIES WITH WIRELESS BUILT-IN JUMP-STARTING



WIRELESS JUMP-STARTING Never be stranded by a dead battery again!

		Amp Hours and Cranking Amps										
GROUP SIZE	MODEL	24AH 1000 Cranking Amps	BOAH 1200 CRANKING AMPS	40AH 1500 CRANKING AMPS	60AH 1800 CRANKING AMPS	BOAH ~2000 CRANKING AMPS	IG-VOLT 1500 CRANKING AMP					
H5/GROUP 47	AG-H5-RS	×	~	✓								
H6/GROUP 48	AG-H6-RS	✓	✓	✓	✓		~					
H7/GROUP 94R	AG-H7-RS			✓	✓	~						
H8/GROUP 49	AG-H8-RS				✓	~						
T6/L2	AG-T6-RS			✓	✓							
GROUP 24	AG-24-RS		~	~	~							
GROUP 27	AG-27-RS			~	~							
GROUP 31	AG-31-RS			~								
GROUP 35	AG-35-RS			~								
GROUP 5IR	AG-51R-RS	~	~									
GROUP 75/78	AG-75-RS	✓	~	~								
		\$659	\$749	\$829	\$949	\$1199	\$829					



DIRECT REPLACEMENT FOR YOUR LEAD/ACID BATTERY

NPS

ANTIGRAVITY BATTERIES all new **RE-START** Lithium-Ion Car Batteries with WIRELESS BUILT-IN JUMP-STARTING are the world's first intelligent battery that won't leave you stranded. They come in Standard BCI sizes making them an easy-to-install Direct Replacement for the heavy lead/ acid battery in your car. They offer the benefits of being much more Powerful and Ultra Lightweight and are available in different Amp Hour Capacities so you can choose what works best for your application. Some models let you choose Positive terminal location on Left or Right side. All of our Lithium RE-START Batteries feature a complete Battery Management System (BMS) with the most advanced protections for the safest, longest life cycle possible. Battery specs on back page.



DROP-IN FIT

Directly replaces your stock lead/acid battery.

Our all new **RE-START** Lithium Powersports Batteries are the world's first Lithium Battery with BUILT-IN JUMP-STARTING and a full Battery Management System (BMS). They come in standardized OEM Powersports sizes and work in many applications even Car Racing. Enjoy a 70% weight reduction over lead/acid batteries while gaining up to 2X the Cranking Power. Battery specs on back page.

NTIGRAVITY

esfart 🙂

AT7B-BS 150 CA, 7 Ah (PbEq) SKU: AG-ATZ7-RS \$129

ATZ-7 150 CA, 7 Ah (PbEq) SKU: AG-ATZ7-RS \$129

ATZ-IO VTIGRAVIT 360 CA, 12 Ah (PbEq) SKU: AG-ATZ10-RS \$199

ATI2-BS ANTIGRAVIT ATI2-BS 45U \$224

360 CA, 12 Ah (PbEq) SKU: AG-AT12BS-RS

ATI2-BS-HD

480 CA, 16 Ah (PbEq)

SKU: AG-AT12BS-HD-RS

HEAVY DUTY ANTIGRAVITY **Urestar**

> ANTIGRAVITY ATX-I2-AH 360 CA, 14 Ah (PbEq) SKU: AG-ATX12-AH-RS \$774

\$259

RE-START POWERSPORTS

MOTORCYCLE, POWERSPORTS & RACE CAR BATTERIES --- THE FIRST WITH BUILT-IN JUMP-STARTING



LITHIUM ION 70% Lighter than lead/acid

HIGH POWER 2X Cranking Amps over lead/acid

DURABLE Shock & Vibration Proof



4-TERMINAL DESIGN Easy Installation

RE-START BUTTON Built-In Jump-Starting

FULL BMS BUILT-IN Protections + Cell Balancing



ATX-I2 360 CA, 12 Ah (PbEq) SKU: AG-ATX12-RS \$224

ATX-I2-HD

480 CA, 16 Ah (PbEq) SKU: AG-ATX12-HD-RS \$259

ATX-20 680 CA, 20 Ah (PbEq) SKU: AG-ATX20-RS \$319

ATX-30 880 CA, 32 Ah (PbEq) SKU: AG-ATX30-RS \$399

NON-RESTART, GREAT FOR RACE CARS

ATX-20-HD 900 CA, 30 Ah (PbEq) SKU: AG-ATX20-HD

\$399

ATX-30-HD 970 CA, 48 Ah (PbEq) SKU: AG-ATX30-HD \$559



NEW

















ULTRA COMPACT, EXTREMELY LIGHTWEIGHT BATTERIES



ם בי ס

Our popular **SMALL CASE** models are the smallest, lightest Lithium Batteries of any manufacturer. Our tiny AG-401 is only 1.37" thick and 15 oz yet capable of starting 1200cc Race bikes. Our AG-1601, with a stunning 480 Cranking Amps, weighs 3 lbs yet can easily start 5.7L V8 Motors or V-Twin Custom Bikes. VERSATILITY, SIZE and POWER make these the choice for Race Vehicles. Please note these are ultra compact, hi-power lightweight batteries WITHOUT the protections of our RE-START line of batteries. They are best used for Racing, or vehicles with low parasitic draws and a charging system that does not charge over 14.6v.

All Small Case batteries include adhesive-backed Foam for Easy Installation. We also offer lightweight Aluminum Mounting Trays. Battery specs on back page.








AG-40 120 CA, 6 Ah (PbEq) SKU: AG-401 \$119



AG-80 240 CA, 11 Ah (PbEq) SKU: AG-801 \$179



AG-1201 360 CA, 16 Ah (PbEq) Can be used with Race Cars! SKU: AG-1201 \$219



AG-1601 480 CA, 22 Ah (PbEq) Can be used with Race Cars! SKU: AG-1601 \$289



SMALL

EXTREME POWER

SPECIFICALLY FOR HIGH PERFORMANCE VEHICLES



XPS (Extreme Power Series): these lithium-ion motorsports batteries are the Highest Power batteries in the smallest, lightest format on the market, bar none. Offering the most Cranking Power in the most compact size possible, they will get your hi-performance vehicle started easily and dramatically reduce weight as well. Intended for Performance applications where size, weight and POWER are most important factors. Some Best Use examples are: Drag Cars and Bikes, Race Cars, or large V-Twin motors. Battery specs on back page. Note: These batteries do not have the protections of the RE-START Models. Intended for Race Use.



Please note these are ultra compact, high power lightweight batteries WITHOUT the protections of our RE-START line of Batteries.



SPECIAL VOLTAGE: this includes our super lightweight Hi-Power 6-Volt and 16-Volt batteries. The 6V lithium-ion battery is a perfect replacement to the original, bulky lead-acid battery in your classic bike, and offers an incredibly compact fit compared to the large 6V battery. Our 16V battery is great for hardcore racers who need a better solution to power their 16-Volt system. This lithium battery has very high power (500+ Cranking Amps) with good capacity to match. Save up to 35 lbs in Race Cars and 14 lbs in Motorcycles! We also offer 6V and 16V battery chargers. Battery specs on back page. Note: These batteries do not have the protections of the RE-START Models. Intended for Special Use only.





AG-1202 AG-802 120 CA, 20 Ah (PbEq) 6-Volt, Small Case SKU: AG-802 SKU: AG-1202 \$179 \$219

Please note these are ultra compact, high power lightweight batteries WITHOUT the protections of our RE-START line of Batteries.





FOR CLASSICS, OR HARDCORE RACERS

240 CA, 28 Ah (PbEq) 6-Volt, Small Case



VTX-20 500 CA, 25 Ah (PbEq) 16-Volt, OEM Case size Left or Right Neg. SKU: AG-VTX20 \$399

10



XP-3 200A Start Current 400A Peak Current 8,000mAh Capacity Dual USB Outputs 6 x 3 x 1 in (LxWxH), 10.5 oz SKU: AG-XP-3 \$119

200A Start Current 400A Peak Current 12,000mAh Capacity 19V, 12V, Dual USB Outputs 6.75 x 3.25 x 1 in (LxWxH), 15.2 oz SKU: AG-XP-1 \$149

Best for Medium-Duty Starting in Cars/Trucks up to 400 cid V8 Gasoline Motors. Offers USB Fast Charging plus 12v and 19v Charging for Laptops and other Electronics.

400A Start Current 600A Peak Current 18,000mAh Capacity 19V, 12V, Dual USB Outputs 9 x 3 x 1.25 in (LxWxH), 18 oz SKU: AG-XP-10 \$199

Best for Heavy-Duty Starting up to 7 Liter Diesel Motors. Offers USB Fast Charging plus 12v and 19v Charging for Laptops and other Electronics. Has 4" all Copper clamps.

400A Start Current 650A Peak Current 18,000mAh Capacity 19V, 12V, Dual USB Outputs 9 x 3 x 1.25 in (LxWxH), 18 oz SKU: AG-XP-10-HD \$219

The XP-10-HD includes HEAVY DUTY CLAMPS. Also available for XP-10

the business. The MICRO-START can Jump-Start Vehicles, as well as Charge all your Electronics such as phones, tablets, laptops, cameras and much more all in a Pocket-Sized Device! It even has a built-in Flashlight! Each model of MICRO-START comes as a complete kit in a nice Carry Case with all the Accessories you need for charging your electronics and jump-starting vehicles. Just charge it and take a Personal Power Supply (PPS) wherever you go. No electric outlet needed.

MICRO-STARTS





XP-I







XP-IO-HD



Best for Heavy-Duty Starting up to 7.3 Liter Diesel Motors. Offers USB Fast Charging plus 12v and 19v Charging for Laptops and other Electronics. Has 6" all Copper clamps.



MICRO-STARTS



NEW MODELS COMING SOON



Our NEW and growing line of **ENERGY STORAGE** products will keep your devices charged and powered off-grid or most anywhere. With the power of the Sun, our Antigravity Solar Panels charge your phones, tablets, cameras and numerous other devices that accept USB or 18v DC charging (adapter tips included for versatility). Store solar power for later by connecting the panel to your Micro-Start, PS-45 or other portable power supplies/solar generators.



XS-60 60 Watts 18v DC + Triple USB Outputs 14.5 x 16 x 1.8 in (LxWxH folded) 49.2 x 16 in (LxW open) 6.5 lbs SKU: AG-XS-60 \$159



XS-100 100 Watts 18v DC + Triple USB Outputs 14.37 x 20.5 x 2 in (LxWxH folded) 63.75 x 20.5 in (LxW open) 10.25 lbs SKU: AG-XS-100 \$229



200 Watts 18v DC + Two USB Outputs 22.8 x 21.25 x 2.3 in (LxWxH folded) 96.85 x 21.25 in (LxW open) 15.2 lbs SKU: AG-XS-200 \$569



PS-45 166Wh, 45,000mAh AC Output Dual DC Outputs (12v) Dual USB Outputs (QC3.0) 6 x 3 x 6.3 in (LxWxH) 2.86 lbs SKU: AG-PS-45 \$169



288Wh, 78,000mAh AC Output (Pure Sine Wave) Wireless Phone Charging 8.2 x 5.7 x 6.1 in (LxWxH) 7.1 lbs SKU: AG-PS-80 \$299

Our new Portable Power Stations are extremely compact and lightweight. They offer a wide variety of output ports so you can Charge and power phones, tablets, cameras, GPS, laptops and much more. These are the most compact power stations available with this much capacity!

Triple DC Outputs (24v, 12v, Lighter Socket) Four USB Outputs (incl. QC3.0, USB-C)





ENERGY

STORAGE

Can connect in Series. Parallel. or BOTH!

Our Lithium DEEP CYCLE

Batteries offer almost TWICE the energy density of Lead/Acid in the same size while offering a 70% weight savings plus many other benefits! Our new DEEP CYCLE Batteries offer a first-of-its-kind Bluetooth Monitoring built-in, so you can easily see the battery voltage, amp usage and more via a free App for your Phone or Tablet. These batteries are made to excel in Deep Cycle and Energy Storage Applications such as Recreation Vehicles (RVs), Boats, Trolling Motors, Backup Power Supplies, Off-Grid Applications, Camping, Solar Setups, Ham Radios, and many other uses requiring ultra lightweight, high amp-hour capacity and longlasting durability.

Capacities range from 100 Amp Hours to 300Ah. Each model can be connected in Series, Parallel or both. Our V1 model is super versatile offering a low-profile, offset terminal design with dual connection points.

DEEP CYCLE

NEW LITHIUM DEEP CYCLE BATTERIES WITH BUILT-IN BLUETOOTH MONITORING!

ANTIGRAVITY

DEEP CYCLE





COMMUNICATION PORTS RS485 Communication Ports

BLUETOOTH MONITORING Check Battery Status from your phone

LED FUEL GAUGE Check Capacity and more



DC-100-VI 100 Ah, 1280 Wh Bluetooth Capable Self-Heating Built-in Group 31 size but Lower Profile 12.75 x 7 x 7.5 in (LxWxH) 27.5 lbs SKU: AG-DC-100-V1 \$979



0 0

Size Group Capacity 100Ah Cranking 300A Veltage 12.8v

Top of V1 Battery

DC-I20H 120 Ah, 1536 Wh Bluetooth Capable Self-Heating Built-in 12.5 x 6.5 x 8.7 in (LxWxH) 27.5 lbs SKU: AG-DC-120H \$1160



• •

DC-125 125 Ah, 1600 Wh Bluetooth Capable NO Self-Heating 12.5 x 6.5 x 8.7 in (LxWxH) 27.5 lbs SKU: AG-DC-125 \$1190



DC-200H 200 Ah, 2560 Wh Bluetooth Capable Self-Heating Built-in Approx. size of 4D Battery 19.9 x 6.8 x 10 in (LxWxH) 59.5 lbs SKU: AG-DC-200H \$1900



LITHIUM ION

70% Lighter than lead/acid

SELF HEATING BUILT-IN

FULL BMS BUILT-IN

Protections + Cell Balancing

Safe Charging in freezing conditions





DC-300H 300 Ah, 3840 Wh Bluetooth Capable Self-Heating Built-in Approx. size of 8D Battery 20.5 x 11 x 9.25 in (LxWxH) 88 lbs SKU: AG-DC-300H \$2800



NEW



ACCESSORIES

FOR MICRO-STARTS





17







4



5







15

12



13

These accessories allow you to use your MICRO-START for many other purposes aside from just boosting your vehicles or charging your mobile phone. Replacement parts also available. Check our website for additional options and do more with your **MICRO-START!**

JUMP-STARTING

CLAMPS & HARNESSES

	SMART CLAMPS (XP1, XP3)\$26.99
2	SMART CLAMPS (XP10)\$26.99
3	HEAVY DUTY SMART CLAMPS (XPIO, XPIO-HD) \$34.99
4	16" STARTING HARNESS (ХРІ, ХРЗ)\$18.99
5	16" STARTING HARNESS (ХРІО, ХРІО-НД)
6	42" STARTING HARNESS (XP1, XP3)\$21.99
7	42" STARTING HARNESS (XPIO, XPIO-HD)\$21.99

CHARGING CABLES & ADAPTERS

8	OBD-II MEMORY SAVER (XPI, XPIO, XPIO-HD)\$15.99
9	CIG SOCKET to DC 5.5mm (XPI, XPI0, XPI0-HD)\$10.99
0	CIG PORT CHARGER (XPI, XPIO, XPIO-HD)
11	WALL CHARGER (XPI, XPIO, XPIO-HD)
2	WALL CHARGER: AU, EU or UK versions \$11.99
3	20" DC CABLE (XPI, XPI0, XPI0-HD)
4	LAPTOP TIPS (XPI, XPIO, XPIO-HD)

COOL PARTS

FOR MORE USES

5	TIRE INFLATOR (XPI, XPIO, XPIO-HD)
6	ADV TIRE INFLATOR (XP1, XP10, XP10-HD)\$29.99

CABLES & PARTS

ADAPTERS & MORE

\$9.99CHARGING HARNESS	\$9
\$13.99 SAE CAR TERMINAL ADAPTERS	\$13
\$8.99TERMINAL ADAPTERS (SQ to RND)	\$8
\$14.99SIDE POST TERMINAL ADAPTERS	\$14
\$19.99 RESTART REMOTE (RS POWERSPORT BATTS)	\$1

MAINTAINERS & MONITORS

\$34.99ANTIGRAVITY SOLAR CHARGER
\$89.99ANTIGRAVITY 16V CHARGER
\$29.99 ANTIGRAVITY 6V CHARGER
See websiteOPTIMATE CHARGERS
See website OPTIMATE ACCESSORIES
\$121.99CTEK LITHIUM US CHARGER
See websiteCTEK ACCESSORIES
\$456.99CTEK D250SE CHARGER (DEEP CYCLE)
\$35.99LITHIUM BATTERY TRACKER (BTR-1)
\$35.99 LEAD/ACID BATTERY TRACKER (BTR-2)

MOUNTS

MOUNTING TRAYS

See website


42" Starting Harnesses have option of Ring or Fork terminal.

ADV Tire Inflator includes extra power cable (SAE to SAE).

CTEK Charger recommended for Batteries with battery management system (BMS) such as our Re-Start (RS) and HD models.

Optimate Chargers recommended for Non-RS or Non-BMS models.





Antigravity Batteries offers a complete accessory line to work with your Lithium Battery for Performance Cars, Motorcycles, Powersport Vehicles and more. Check our website for all accessories!

16



FOR BATTERIES

6

7 8

B

ANTIGRAVITY LITHIUM BATTERIES

	MODEL	VOLTS	OEM/BCI	CA	CAF	ACITY	DIME	NSIONS (i	nches)	DIM	ENSIONS	(mm)	WEIG	SHT	MAX CHARGE RATE - AMPS
	NUMBER	VOLIJ	GROUP SIZE	0/1	Ah	Wh	L	W	н	L	W	н	lbs	kg	ONLY USE SPECIFIE
	AG-H5-24-RS	12.8v	H5/Grp 47	1000	24	316	9.5″	7.0″	7.5″	242	175	190	8.5	3.9	15
	AG-H5-30-RS	12.8v	H5/Grp 47	1200	30	396	9.5″	7.0″	7.5″	242	175	190	11.7	5.3	15
	AG-H5-40-RS	12.8v	H5/Grp 47	1500	40	528	9.5″	7.0″	7.5″	242	175	190	15.2	6.9	15
	AG-H6-24-RS	12.8v	H6/Grp 48	1000	24	316	10.75″	7.0″	7.5″	272	175	190	9.8	4.4	15
	AG-H6-30-RS	12.8v	H6/Grp 48	1200	30	396	10.75″	7.0″	7.5″	272	175	190	13.9	6.3	15
	AG-H6-40-RS	12.8v	H6/Grp 48	1500	40	528	10.75″	7.0″	7.5″	272	175	190	15.45	7	15
	AG-H6-60-RS	12.8v	H6/Grp 48	1800	60	768	10.75″	7.0″	7.5″	272	175	190	18.15	8.2	15
	AG-H6-30-16	16v	H6/Grp 48	1500	30	495	10.75″	7.0″	7.5″	272	175	190	18	8.2	16v 30A
	AG-H7-40-RS	12.8v	H7/Grp 94r	1500	40	528	12.25″	7.0″	7.5″	312	175	190	15.6	7.1	15
	AG-H7-60-RS	12.8v	H7/Grp 94r	1800	60	768	12.25″	7.0″	7.5″	312	175	190	18.5	8.4	15
	AG-H7-80-RS	12.8v	H7/Grp 94r	~2000	80	1024	12.25″	7.0″	7.5″	312	175	190	25.5	11.5	15
	AG-H8-60-RS	12.8v	H8/Grp 49	1800	60	768	14″	7.0″	7.5″	356	175	190	19.05	8.6	15
	AG-H8-80-RS	12.8v	H8/Grp 49	~2000	80	1024	14″	7.0″	7.5″	356	175	190	25.5	11.5	15
	AG-T6-40-RS	12.8v	T6/Grp L2	1500	40	528	10.75″	7.0″	6.8″	272	175	174	15.45	7	15
	AG-T6-60-RS	12.8v	T6/Grp L2	1800	60	768	10.75″	7.0″	6.8″	272	175	174	18.15	8.2	15
	AG-24-30-RS •	12.8v	Group 24	1200	30	396	10.25"	6.85″	8.75″	260	174	222	13.9	6.3	15
	AG-24-40-RS •	12.8v	Group 24	1500	40	528	10.25"	6.85″	8.75″	260	174	222	15.6	7.1	15
	AG-24-60-RS	12.8v	Group 24 Group 24	1800	60	768	10.25"	6.85″	8.75″	260	174	222	18.5	8.4	15
	AG-26-16-RS	12.8v	Group 24 Group 26	850	16	211	7.75"	6.5"	7.24″	197	165	184	8.15	3.7	15
	AG-26-20-R5	12.8v	Group 26	925	20	264	7.75″	6.5″	7.24	197	165	184	8.5	3.8	15
	AG-27-40-RS	12.8v	Group 20 Group 27	1500	40	528	12"	6.85″	8.75″	308	174	222	15.6	7.1	15
	AG-27-60-RS	12.8v			60	768	12"	6.85″	8.75″	308	174	222	15.6	7.1	15
			Group 27	1800											
	AG-31-40-RS	12.8v	Group 31	1500	40	528	13″	6.85"	9.44"	330	174	240	15.6	7.1	15
	AG-35-40-RS	12.8v	Group 35	1500	40	528	9″	6.85"	8.6"	228	174	220	16.5	7.5	15
	AG-51R-24-RS	12.8v	Group 51r	1000	24	316	9.4″	5.2″	8.6″	238	130	220	8	3.6	15
	AG-51R-30-RS	12.8v	Group 51r	1200	30	396	9.4″	5.2″	8.6″	238	130	220	11.7	5.3	15
	AG-75-24-RS	12.8v	Group 75	1000	24	316	9″	6.85″	7.85″	229	174	200	8.5	3.9	15
	AG-75-30-RS	12.8v	Group 75	1200	30	396	9″	6.85″	7.85″	229	174	200	13.9	6.3	15
	AG-75-40-RS	12.8v	Group 75	1500	40	528	9″	6.85″	7.85″	229	174	200	15.6	7.1	15
											1: 117	,			1
			nilable with Po	sitive Te			-		Group-26 i	,		1	1	1	
	AT7B-BS-RS	12.8v	YT7B-BS	sitive Te 180	7*	42.24	or Right si 5.75″	de •	Group-26 i 3.75"	is often us 146	64	<i>'s</i> 95	1.55	0.68	4
	AT7B-BS-RS ATZ7-RS		YT7B-BS YTZ7-S		7* 7*	42.24 42.24	-		,	,		1	1.32	0.68 0.6	4 4
		12.8v	YT7B-BS	180	7*	42.24	5.75″	2.5″	3.75″	146	64	95			4
-	ATZ7-RS	12.8v 12.8v	YT7B-BS YTZ7-S	180 150	7* 7*	42.24 42.24	5.75″ 4.53″	2.5" 2.75"	3.75″ 3.35″	146 115	64 70	95 85	1.32	0.6	4 4
	ATZ7-RS ATZ10-RS	12.8v 12.8v 12.8v	YT7B-BS YTZ7-S YTZ10	180 150 360	7* 7* 12*	42.24 42.24 78.08	5.75" 4.53" 5.9"	2.5" 2.75" 3.46"	3.75" 3.35" 3.62"	146 115 150	64 70 88	95 85 92	1.32 2.6	0.6 1.17	4 4 5
	ATZ7-RS ATZ10-RS AT12BS-RS	12.8v 12.8v 12.8v 12.8v	YT7B-BS YTZ7-S YTZ10 YT12-BS	180 150 360 360	7* 7* 12* 12*	42.24 42.24 78.08 78.08	5.75" 4.53" 5.9" 5.9"	2.5" 2.75" 3.46" 2.75"	3.75" 3.35" 3.62" 5.12"	146 115 150 150	64 70 88 70	95 85 92 130	1.32 2.6 2.35	0.6 1.17 1.06	4 4 5 5
-	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS	12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YTZ7-S YTZ10 YT12-BS YT12-BS	180 150 360 360 480	7* 7* 12* 12* 16*	42.24 42.24 78.08 78.08 102.4	5.75" 4.53" 5.9" 5.9" 5.9"	2.5" 2.75" 3.46" 2.75" 2.75"	3.75" 3.35" 3.62" 5.12" 5.12"	146 115 150 150 150	64 70 88 70 70	95 85 92 130 130	1.32 2.6 2.35 2.95	0.6 1.17 1.06 1.33	4 4 5 5 8
-	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YTZ7-S YTZ10 YT12-BS YT12-BS YT12-BS	180 150 360 360 480 360	7* 7* 12* 12* 16* 12*	42.24 42.24 78.08 78.08 102.4 78.08	5.75" 4.53" 5.9" 5.9" 5.9" 5.9"	2.5" 2.75" 3.46" 2.75" 2.75" 3.4"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19"	146 115 150 150 150 150	64 70 88 70 70 86	95 85 92 130 130 132	1.32 2.6 2.35 2.95 2.65	0.6 1.17 1.06 1.33 1.2	4 5 5 8 5
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YTZ7-S YTZ10 YT12-BS YT12-BS YT12-BS YTX12 YTX12	180 150 360 360 480 360 480	7* 7* 12* 12* 16* 12* 16*	42.24 42.24 78.08 78.08 102.4 78.08 102.4	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9"	2.5" 2.75" 3.46" 2.75" 2.75" 3.4" 3.4"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19"	146 115 150 150 150 150 150	64 70 88 70 70 86 86	95 85 92 130 130 132 132	1.32 2.6 2.35 2.95 2.65 3	0.6 1.17 1.06 1.33 1.2 1.36	4 5 5 8 5 8 8
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS ATX12-AH-RS	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT2I0 YT12-BS YT12-BS YT12-BS YTX12 YTX12	180 150 360 360 480 360 480 360	7* 7* 12* 12* 16* 12* 16* 16*	42.24 42.24 78.08 78.08 102.4 78.08 102.4 84.48	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 5.9"	2.5" 2.75" 3.46" 2.75" 2.75" 3.4" 3.4" 2.95"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47"	146 115 150 150 150 150 150 135	64 70 88 70 70 86 86 86 75	95 85 92 130 130 132 132 132 139	1.32 2.6 2.35 2.95 2.65 3 2.62	0.6 1.17 1.06 1.33 1.2 1.36 1.19	4 5 5 8 5 8 5 8 5 5
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS ATX12-AH-RS ATX20-RS	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT12-BS YT12-BS YT12-BS YTX12 YTX12 YTX12 YTX12B-BS YTX20	180 150 360 360 480 360 480 360 680	7* 7* 12* 12* 16* 12* 16* 14* 20*	42.24 42.24 78.08 78.08 102.4 78.08 102.4 84.48 128	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 5.3" 6.9"	2.5" 2.75" 3.46" 2.75" 2.75" 3.4" 3.4" 2.95" 3.4"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12"	146 115 150 150 150 150 150 150 135 135 175	64 70 88 70 70 86 86 75 86	95 85 92 130 130 132 132 132 139 130	1.32 2.6 2.35 2.95 2.65 3 2.62 3.8	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72	4 5 5 8 5 8 5 8 5 10
-	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS ATX12-AH-RS ATX20-RS ATX20-HD	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT12-BS YT12-BS YT12-BS YTX12 YTX12 YTX12B-BS YTX20 YTX20	180 150 360 480 360 480 480 360 680 900	7* 7* 12* 12* 16* 12* 16* 14* 20* 30*	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 128	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 5.9" 5.3" 6.9" 6.9"	2.5" 2.75" 3.46" 2.75" 2.75" 3.4" 2.95" 3.4" 3.4" 3.4"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 5.12"	146 115 150 150 150 150 150 150 135 175 175	64 70 88 70 70 86 86 86 86 86	95 85 92 130 130 132 132 132 139 130 130	1.32 2.6 2.35 2.95 2.65 3 2.62 3.8 5.18	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72 2.35	4 5 5 8 5 8 5 8 5 10 15
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS ATX12-AH-RS ATX20-RS ATX20-RS ATX20-HD ATX30-RS	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT12-BS YT12-BS YT12-BS YTX12 YTX12B-BS YTX20 YTX20 YTX20 YTX20 YTX30	180 150 360 480 360 480 360 680 900 880	7* 12* 12* 16* 12* 16* 14* 20* 30* 32* 48*	42.24 42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 128 204.8 307.2	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 5.3" 6.9" 6.9" 6.5"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 3.4" 5" 5"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 5.12" 6.89" 6.89"	146 115 150 150 150 150 150 150 150 135 175 175 175 165	64 70 88 70 70 86 86 86 86 86 127 127	95 85 92 130 130 132 132 132 139 130 130 130 175	1.32 2.6 2.35 2.95 2.65 3 2.62 3.8 5.18 5.75 7.81	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72 2.35 2.6 3.54	4 5 5 8 5 8 5 8 5 10 15 15 15
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-AH-RS ATX12-AH-RS ATX20-RS ATX20-HD ATX30-RS ATX30-HD ATX30-HD	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT12-BS YT12-BS YT12-BS YTX12 YTX12B-BS YTX20 YTX20 YTX20 YTX20 YTX30 YTX30	180 150 360 480 360 480 360 480 360 880 970 120	7* 12* 12* 16* 12* 16* 14* 20* 30* 32* 48*	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 128 204.8 307.2 30.08	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 6.9" 6.9" 6.5" 6.5" 6.5"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 5" 1.37"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 5.12" 6.89" 6.89" 3.75"	146 115 150 150 150 150 150 150 150 150 150 150 150 150 150 150 165 165 111	64 70 88 70 86 86 86 86 86 127 127 35	95 85 92 130 132 132 132 139 130 130 130 175 175	1.32 2.6 2.35 2.95 2.65 3 2.62 3.8 5.18 5.75 7.81 0.95	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72 2.35 2.6 3.54	4 5 5 8 5 8 5 8 5 10 15 15 15 15 4
	AT27-RS AT210-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS ATX12-AH-RS ATX20-RS ATX20-RS ATX30-RS ATX30-HD AG-401 AG-801	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT12-BS YT12-BS YT12-BS YTX12 YTX12B-BS YTX20 YTX20 YTX20 YTX30 YTX30 Small Small	180 150 360 480 360 480 360 880 970 120 240	7* 12* 12* 16* 16* 16* 14* 20* 30* 32* 48*	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 204.8 307.2 30.08 70.4	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 6.9" 6.9" 6.9" 6.5" 6.5" 6.5" 4.37"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 5" 1.37" 2.37"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 5.12" 6.89" 6.89" 3.75" 3.75"	146 115 150 150 150 150 150 150 150 150 150 150 150 150 150 165 165 111	64 70 88 70 70 86 86 86 86 127 127 127 35 60	95 85 92 130 132 132 132 139 130 130 130 175 175 95 95	1.32 2.6 2.35 2.95 2.65 3 2.62 3.8 5.18 5.75 7.81 0.95 1.56	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72 2.35 2.6 3.54 0.43 0.7	4 5 5 8 5 8 5 8 5 10 15 15 15 15 15 4 8
	AT27-RS AT210-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-RD-RS ATX12-AH-RS ATX20-RS ATX20-RS ATX30-RS ATX30-RS ATX30-RS AG-401 AG-801 AG-1201	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT12-BS YT12-BS YT12-BS YTX12 YTX12B-BS YTX20 YTX20 YTX20 YTX30 YTX30 Small Small Small	180 150 360 480 360 480 360 480 360 480 360 480 360 900 880 970 120 240 360	7* 7* 12* 16* 16* 16* 14* 20* 30* 30* 32* 48* 6* 11*	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 128 204.8 307.2 30.08 70.4 102.4	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 6.9" 6.9" 6.5" 6.5" 4.37" 4.37"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 1.37" 2.37" 3.25"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 6.89" 6.89" 3.75" 3.75" 4.25"	146 115 150 150 150 150 150 150 150 150 150 165 165 111 111 114	64 70 88 70 70 86 86 75 86 86 127 127 127 127 35 60 83	95 85 92 130 132 132 132 139 130 130 130 175 175 95 95 95 108	1.32 2.6 2.35 2.65 3 2.62 3.8 5.18 5.75 7.81 0.95 1.56 2.25	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72 2.35 2.6 3.54 0.43 0.7 1	4 5 5 8 5 8 5 8 5 10 15 15 15 15 15 4 8 8 12
-	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS ATX12-AH-RS ATX20-RS ATX20-HD ATX30-RS ATX30-HD ATX30-HD AG-401 AG-801 AG-1201 AG-1601	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT210 YT12-BS YT12-RS YTX12 YTX12 YTX12B-BS YTX20 YTX20 YTX30 YTX30 Small Small Small Small	 180 150 360 360 360 480 360 680 900 880 970 120 240 360 480 	7* 7 12* 12* 12* 16* 12* 16* 14* 20* 30* 32* 48* 6* 11* 16* 22*	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 128 204.8 307.2 30.08 307.2 30.08 70.4 102.4 102.4	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.3" 6.9" 6.9" 6.5" 6.5" 4.37" 4.37" 4.5"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 1.37" 2.37" 3.25" 3.25"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 5.12" 6.89" 6.89" 3.75" 3.75" 4.25"	146 115 150 150 150 150 150 150 150 150 150 150 150 165 165 111 111 114 114	64 70 88 70 86 86 86 86 86 127 127 127 35 60 83 83	95 85 92 130 132 132 132 139 130 130 130 175 175 95 95 108 133	1.32 2.6 2.35 2.65 3 2.62 3.8 5.18 5.75 7.81 0.95 1.56 2.25 3.18	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72 2.35 2.6 3.54 0.43 0.7 1 1.44	4 5 5 8 5 8 5 10 15 15 15 15 15 4 8 12 12
	AT27-RS AT210-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS ATX12-AH-RS ATX20-RS ATX20-HD ATX30-RS ATX30-HD ATX30-HD AG-401 AG-801 AG-1601 SC-1	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT210 YT12-BS YT12-BS YTX12 YTX12 YTX12B-BS YTX20 YTX20 YTX30 YTX30 Small Small Small Small Small Small Small	180 150 360 480 360 480 360 880 9700 120 1240 360 480 150	7* 7 12* 12* 16* 12* 16* 14* 20* 30* 32* 48* 11* 16* 22* 5*	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 204.8 307.2 30.08 307.2 30.08 70.4 102.4 102.4	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 6.9" 6.9" 6.9" 6.5" 6.5" 4.37" 4.37" 4.5"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 1.37" 2.37" 3.25" 3.25" 1.37"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 6.89" 6.89" 3.75" 3.75" 4.25" 5.25"	146 115 150 150 150 150 150 150 150 150 150 165 165 111 111 114	64 70 88 70 86 86 86 86 127 127 127 127 35 60 83 83 83	95 85 92 130 132 132 132 139 130 130 175 175 95 95 108 133	1.32 2.6 2.35 2.95 3 2.62 3.8 5.18 5.75 7.81 0.95 1.56 2.25 3.18	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72 2.35 2.6 3.54 0.43 0.7 1 1.44	4 5 5 8 5 8 5 10 15 15 15 15 15 15 15 15 15 15 15 15 15
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-AH-RS ATX20-RS ATX20-HD ATX30-RS ATX30-RS AG-401 AG-801 AG-1201 AG-1601 SC-1 Y-10	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT210 YT12-BS YT12-BS YTX12 YTX12 YTX12B-BS YTX20 YTX20 YTX30 YTX30 Small Small Small Small Small YTZ10	180 150 360 480 360 480 360 480 360 480 360 480 360 480 360 360 900 880 970 120 240 360 480 150 680	7* 7 12* 12* 12* 16* 12* 16* 14* 20* 30* 32* 48* 6* 11* 16* 22*	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 128 204.8 307.2 30.08 70.4 102.4 102.4 143.36 28.16	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 6.9" 6.9" 6.9" 6.5" 6.5" 4.37" 4.37" 4.5" 4.5"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 1.37" 2.37" 3.25" 3.25"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 6.89" 6.89" 3.75" 3.75" 4.25" 5.25" 3.75" 3.75"	146 115 150 150 150 150 150 150 150 150 150 150 150 165 165 111 111 114 114	64 70 88 70 86 86 86 86 86 127 127 127 35 60 83 83	95 85 92 130 132 132 132 139 130 130 130 175 175 95 95 108 133	1.32 2.6 2.35 2.95 3 2.62 3.8 5.18 5.75 7.81 0.95 1.56 2.25 3.18 0.95 3.18	0.6 1.17 1.06 1.33 1.2 1.36 1.19 2.35 2.6 3.54 0.43 0.7 1 1.44 0.43 1.59	4 5 5 8 5 8 5 10 15 15 15 15 4 8 12 12
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS ATX12-HD-RS ATX20-RS ATX20-RS ATX30-RS ATX30-RS AG-401 AG-801 AG-1201 AG-1601 SC-1 V-10 YTX12-Z4	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT210 YT12-BS YT12-BS YTX12 YTX12 YTX12B-BS YTX20 YTX20 YTX20 YTX30 YTX30 Small Small Small Small Small Small YTZ10 YTZ10	180 150 360 480 360 480 360 480 360 480 360 900 880 970 120 240 360 120 360 120 360 480 720	7* 7 12* 12* 16* 16* 14* 20* 30* 30* 48* 11* 16* 16* 22* 5* 30* 30* 30* 30* 30* 30* 30* 30* 30* 30	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 128 204.8 307.2 30.08 70.4 102.4 102.4 143.36 28.16 192 192	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 6.9" 6.9" 6.9" 6.5" 6.5" 4.37" 4.37" 4.5"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 1.37" 2.37" 3.25" 3.25" 1.37"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 6.89" 6.89" 6.89" 3.75" 3.75" 4.25" 5.25" 3.75" 3.75" 3.75"	146 115 150 150 150 150 150 150 150 150 150 150 150 150 150 150 165 165 111 114 114 111	64 70 88 70 86 86 86 86 127 127 127 127 35 60 83 83 83	95 85 92 130 132 132 132 139 130 130 175 175 95 95 108 133	1.32 2.6 2.35 2.95 3 2.62 3.8 5.18 5.75 7.81 0.95 1.56 2.25 3.18	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72 2.35 2.6 3.54 0.43 0.7 1 1.44	4 5 5 8 5 8 5 10 15 15 15 15 15 15 15 15 15 15 15 15 15
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-AH-RS ATX20-RS ATX20-HD ATX30-RS ATX30-RS AG-401 AG-801 AG-1201 AG-1601 SC-1 Y-10	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT210 YT12-BS YT12-BS YTX12 YTX12 YTX12B-BS YTX20 YTX20 YTX30 YTX30 Small Small Small Small Small YTZ10	180 150 360 480 360 480 360 480 360 480 360 480 360 480 360 360 900 880 970 120 240 360 480 150 680	7* 7 12* 12* 16* 12* 16* 14* 20* 30* 32* 48* 11* 16* 16* 22* 5* 30*	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 128 204.8 307.2 30.08 70.4 102.4 102.4 143.36 28.16	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 6.9" 6.9" 6.9" 6.5" 6.5" 4.37" 4.37" 4.5" 4.5"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 1.37" 2.37" 3.25" 3.25" 1.37" 3.25" 1.37"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 6.89" 6.89" 3.75" 3.75" 4.25" 5.25" 3.75" 3.75"	146 115 150 150 150 150 150 150 150 150 150 150 150 150 150 165 165 111 114 114 111 147	64 70 88 70 86 86 86 75 86 86 127 127 127 127 35 60 83 83 83 83	95 85 92 130 132 132 132 139 130 130 130 175 175 95 108 133 95 108 133	1.32 2.6 2.35 2.95 3 2.62 3.8 5.18 5.75 7.81 0.95 1.56 2.25 3.18 0.95 3.18	0.6 1.17 1.06 1.33 1.2 1.36 1.19 2.35 2.6 3.54 0.43 0.7 1 1.44 0.43 1.59	4 5 5 8 5 8 5 10 15 15 15 15 15 15 15 15 15 15 15 15 15
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RS ATX12-HD-RS ATX12-HD-RS ATX20-RS ATX20-RS ATX30-RS ATX30-RS AG-401 AG-801 AG-1201 AG-1601 SC-1 V-10 YTX12-Z4	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT210 YT12-BS YT12-BS YTX12 YTX12 YTX12B-BS YTX20 YTX20 YTX20 YTX30 YTX30 Small Small Small Small Small Small YTZ10 YTZ10	180 150 360 480 360 480 360 480 360 480 360 900 880 970 120 240 360 120 360 120 360 480 720	7* 7 12* 12* 16* 16* 14* 20* 30* 30* 48* 11* 16* 16* 22* 5* 30* 30* 30* 30* 30* 30* 30* 30* 30* 30	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 128 204.8 307.2 30.08 70.4 102.4 102.4 143.36 28.16 192 192	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.9" 6.9" 6.9" 6.5" 6.5" 4.37" 4.37" 4.5" 4.5" 4.5"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 1.37" 2.37" 3.25" 3.25" 1.37" 3.4" 3.2" 3.2" 3.2" 3.4"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 6.89" 6.89" 6.89" 3.75" 3.75" 4.25" 5.25" 3.75" 3.75" 3.75"	146 115 150 150 150 150 150 150 150 150 150 150 150 165 165 111 114 114 114 150 150	64 70 88 70 86 86 86 75 86 86 127 127 127 127 35 60 83 83 83 83 83 83	95 85 92 130 132 132 132 132 132 133 130 175 175 95 108 133 95 108 133	1.32 2.6 2.35 2.65 3 2.62 3.8 5.18 5.75 7.81 0.95 1.56 2.25 3.18 0.95 3.5 5.5	0.6 1.17 1.06 1.33 1.2 1.36 1.19 1.72 2.35 2.6 3.54 0.43 0.7 1 1.44 0.43 1.59 2.26	4 4 5 5 8 5 8 5 10 15 15 15 15 15 4 8 12 12 5 10 12
	ATZ7-RS ATZ10-RS AT12BS-RS AT12BS-HD-RS ATX12-RD-RS ATX12-HD-RS ATX12-AH-RS ATX20-RS ATX30-RS ATX30-HD AC401 AG-801 AG-1601 SC-1 V-10 YTX12-24 YTX20-X0	12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v 12.8v	YT7B-BS YT27-S YT210 YT12-BS YT12-BS YTX12 YTX12 YTX12 YTX12 YTX12 YTX12 YTX12 YTX12 YTX12 YTX20 YTX30 YTX30 Small Small Small Small YT210 YT210 YTX12	 180 150 360 480 360 480 680 900 880 970 120 240 360 480 150 680 720 780 	7* 7 12* 12* 16* 12* 16* 14* 20* 30* 32* 48* 6* 11* 16* 22* 5* 30* 30* 30* 30* 30* 30* 30* 30* 30* 30	42.24 78.08 78.08 102.4 78.08 102.4 84.48 128 128 204.8 307.2 30.08 70.4 102.4 102.4 143.36 28.16 192 192 204.8	5.75" 4.53" 5.9" 5.9" 5.9" 5.9" 5.3" 6.9" 6.5" 6.5" 4.37" 4.37" 4.5" 4.5" 4.5" 4.5" 5.8" 5.9"	2.5" 2.75" 3.46" 2.75" 3.4" 3.4" 2.95" 3.4" 3.4" 5" 5" 1.37" 2.37" 3.25" 1.37" 3.25" 1.37" 3.25" 1.37" 3.44"	3.75" 3.35" 3.62" 5.12" 5.12" 5.19" 5.19" 5.47" 5.12" 6.89" 3.75" 3.75" 3.75" 3.75" 3.75" 3.75" 3.75" 3.75" 3.75"	146 115 150 150 150 150 150 150 150 150 150 150 150 165 165 111 114 114 114 1150 150 175 165 111 114 114 1174	64 70 88 70 86 86 86 86 127 127 127 127 35 60 83 83 83 83 83 83 83 83	95 85 92 130 132 132 132 132 132 130 130 130 175 75 108 133 95 108 133 95 108 133	1.32 2.6 2.35 2.65 3 2.62 3.8 5.18 5.75 7.81 0.95 1.56 2.25 3.18 0.95 3.18 0.95 3.5 5 4.68	0.6 1.17 1.06 1.33 1.2 1.36 1.19 2.35 2.6 3.54 0.43 0.7 1 1.44 0.43 1.59 2.26 2.26 2.22	4 5 5 8 5 8 5 10 15 15 15 15 15 15 15 15 15 15 15 15 15